



References

- Anagnostopoulos A, Dasgupta A, Kumar R, 2008. Approximation algorithms for co-clustering. Proceedings of the twentyseventh ACM SIGMODSIGACTSIGART Symposium on Principles of Database Systems 60:201-10.
- Banerjee A, Dhillon I, Ghosh J, Merugu S, Modha DS, 2007. A generalized maximum entropy approach to bregman co-clustering and matrix approximation. J Mach Learn Res 8:1919-86.
- BOSKP, 2016. Development statistics of Khyber Pakhtunkhwa 2016. Available from: <http://kpbos.gov.pk/development-statistics.php>
- Dong W, Zhang X, Jiang Z, Sun W, Xie L, Hampapur A, 2011. Detect irregularly shaped spatio-temporal clusters for decision support. In Proceedings of 2011 IEEE International Conference on Service Operations, Logistics Informatics 231-236.
- Dong W, Zhang X, Li L, Sun C, Shi L, Sun W, 2012. Detecting irregularly shaped significant spatial and spatio-temporal clusters. In Proceedings of the 2012 SIAM International Conference on Data Mining. Society for Industrial and Applied Mathematics, pp. 732-43.
- Fanaee-T H, Gama J, 2015. Eigenspace method for spatiotemporal hotspot detection. Expert Syst 32:454-64.
- Ghanchi NK, Ursing J, Beg MA, Veiga MI, Jafri S, Mårtensson A, 2011. Prevalence of Resistance associated polymorphisms in *Plasmodium falciparum* field isolates from Southern Pakistan. Malar J 10:18.
- Hussain I, Qureshi NA, Afzal M, Shaheen N, Ali A, Ashraf A, 2016. Prevalence and distribution of human *Plasmodium infection* in federally administrative tribal areas of Pakistan. Acta Parasitol 61:537-43.
- Ibrahim SK, Khan S, Akhtar N, 2014. Epidemiological finding of malaria in district Buner Khyber Pakhtunkhwa, Pakistan. World J Med Sci 11:478-82.
- Iyengar VS, 2004. On detecting space-time clusters. Proceedings of the 2004 ACM SIGKDD International Conference on Knowledge Discovery and Data Mining 1:587-92.
- Kazmi JH, Pandit K, 2001. Disease and dislocation: the impact of refugee movements on the geography of malaria in NWFP, Pakistan. Soc Sci Med 52:1043-55.
- Khan HN, Razali RB, Shafie AB, 2016. Modeling determinants of health expenditures in Malaysia: evidence from time series analysis. Front Pharmacol 7:69.
- Kulldorff M, 1997. A spatial scan statistic. Commun Stat-Theor M 26:1481-96.
- Kulldorff, Martin, Athas WF, Feuer EJ, Miller BA, Key CR, 1998. Evaluating cluster alarms: a space-time scan statistic and brain cancer in Los Alamos, New Mexico. Am J Public Health 88:1377-80.
- Neill DB, Moore AW, Sabhni M, Daniel K, 2005. Detection of emerging space-time clusters. Proceeding of the Eleventh ACM SIGKDD International Conference on Knowledge Discovery in Data Mining, pp. 218-27.
- Takahashi K, Kulldorff M, Tango T, Yih K, 2008. A flexibly shaped space-time scan statistic for disease outbreak detection and monitoring. Int J Health Geogr 7:14.
- WHO, 2007. Strategic plan for malaria control and elimination in the WHO Eastern Mediterranean region 2006-2010. DocumentWHOEM/MAL/340/E/02.07/1000. Available from: <http://www.emro.who.int/dsaf/dsa741.pdf>
- Wu X, Zurita-Milla R, Kraak M-J, 2015. Co-clustering geo-referenced time series: exploring spatio-temporal patterns in Dutch temperature data. Int J Geogr Inf Sci 8816:624-42.

Non commercial use only